





### 6" Balustrade System **Baluster - Ashley (AY)**







Part Number


BAL3X36AY

BAL3X38AY

5 3/16" 5 3/16"

\*Ideal for Porch Spandrel application.


# 6" Balustrade System **Baluster - Classic (CC)** BAL4X27CCOB BAL4X31CCOB Part Number 5 13/16" 5 11/16"







### **6" Balustrade System Baluster - Fischer (FI)**





### **6" Balustrade System** Baluster - Logan (LN)






Part Numbe


BAL4X24LN\*

5 15/16"










# 6" Balustrade System Baluster - Riley (RY)






# 6" Balustrade System Baluster - Woodruff (WF)




# **6" Balustrade System Top Rail**



## 6" Balustrade System







### **6" Balustrade System Rail Support Block**

Part Number

Part Number

BBRR6X75



RSB4X4X6

Rail Support Blocks should be placed under the Bottom Rail at a span of every 48" or less. These blocks can be trimmed for height.

Baluster Rail Installation Kit\*
(See Installation Guide Page 32)

BRK6-7

RSB4X4X6

Center Line Length

134" (1/4 Circle)

### **6" Balustrade System Baluster Top Rail Radius**




	Part Number	Radius	Center Line Length	Baluster Rail Installation Kit* (See Installation Guide Page 32)	
6"	BTRR6X75	75"	134" ( <sup>1</sup> / <sub>4</sub> Circle)	BRK6-7	

\*Connects both ends of one 6" Rail to applications. May be used for corner or butt connections into NP8X48 or PP8X96. (2 qty.) 4" wide x 1½" x 2" Angle Brackets. (8 gty.) #14 x 21/2" Stainless Steel Flat Head Screws.

### 6" Balustrade System **Baluster Bottom Rail Radius**






\*Connects both ends of one 6" Rail to applications. May be used for corner or butt connections into NP8X48 or PP8X96. (2 qty.) 4" wide x 1 ½" x 2" Angle Brackets. (8 qty.) #14 x 2½" Stainless Steel Flat Head Screws.

75"





<sup>\*\*</sup>Porch Post can be field trimmed to various heights without losing load rating.

(2 qty.) Galvanized Mounting Brackets.

(4 gty.) #14 x 2" Stainless Steel Sheet Metal Screws.

Fasteners to mount angle brackets to floor surface not provided, and Trim Collar must be ordered separate.



\*NPK8 kit includes hardware to secure one Newel Post and is purchased separately:

(2 qty.) <sup>3</sup>/<sub>8</sub>" - 16 Hex Nuts.
(2 qty.) <sup>3</sup>/<sub>8</sub>" - Lock Washers.
(2 qty.) <sup>3</sup>/<sub>4</sub>" - Flat Washers.
(1 qty.) <sup>1</sup>/<sub>4</sub>" x 6 <sup>1</sup>/<sub>2</sub>" Diameter Steel Top Mounting Plate.
(2 qty.) <sup>3</sup>/<sub>8</sub>" x 50" Threaded Rods.
(1 qty.) <sup>1</sup>/<sub>4</sub>" x 3 <sup>1</sup>/<sub>2</sub>" x 3 <sup>1</sup>/<sub>2</sub>" Octagon Steel Base Plate.

Fasteners to mount Steel Base Plate to floor surface not provided.

\*NPK10 kit includes hardware to secure one Newel Post and is purchased separately:

(1 qty.) Steel Base Plate.

(1 qty.) Channel Bracket. (1 qty.) ½" - 13 Hex Nut. (1 qty.) ½" Lock Washer.


(1 qty.) 13" x 72" Threaded Rod.


<sup>\*\*</sup>Hardware included to secure one Porch Post.



## **6" Balustrade System Newel Post Accessories** Part Number Coordinating Newel Post Accessories PST8X8FP Fancy Peak PST9X9FP Fancy Peak B5X7 PST3X5 PST10X10F Post Top - Flat PST4X5 PST10X10P Post Top - Peaked PST3X5 PST10X10F Post Top - Ball PST4X5 PST10X10F Post Top - Ball PST10X10F **B5X7** Ball TC8 Base Trim Collar











### 7" Balustrade System **Baluster - Ashley (AY)**








### 7" Balustrade System **Baluster - Classic (CC)**














5 13/16"

5 11/16"

BAL5X20CC 7 5/8"

BAL5X24CC 7 5/8"

BAL5X28CCOB\* 5 7/8"

7 1/2"

BAL5X28CC

BAL5X30CC 7 1/2"

	0		
3 39/64	5"	-     22"  - 5"	32"

### Part Numbe

BAL5X32CC

7 1/2"



# 7" Balustrade System Baluster - Fischer (FI) Output Distance To Maximum Center-to-Center Distance To Meet 4" Rule. See Page 28 If Fin Details 6 3/16" 6 3/16"


# 7" Balustrade System Baluster - Beaumont (BE) 2"7/22" 23/6" 19/6" 23/7/16" 24/7/16" 33<sup>3</sup>/22" 24/7/16" 24/7/16" BAL4X22BE\* BAL5X31BE\* BAL5X34BE Maximum Center-to-Center Distance To Meet 4" Rule. (See Page 2 BL For Details) 6 5/16" 6 5/16" 6 6 7/8"


\*Cannot be used for stair applications.






### 7" Balustrade System **Baluster - Logan (LN)** 403/8" Part Number BAL4X24LN\* BAL5X31LN0B\* BAL5X31LN BAL5X32LN BAL5X36LN BAL5X40LN 5 15/16" 5 11/16" 5 15/16" 5 11/16" 5 11/16" 5 11/16"












### 7" Balustrade System **Baluster - Rosedale (RL)** BAL5X16RL BAL5X20RL0B\* BAL5X20RL BAL5X24RL0B\* BAL5X24RL BAL5X28RL BAL5X32RL Maximum Center-to-Center Distance To Meet 4" Rule (See Page 2 BL For Details, 7 1/4" 6 7/16" 6 5/8" 6 3/16" 6 5/8" 6 5/8" 6 5/8"



Part Number
Maximum Center-to-Center Distance To Meet 4" Rule. (See Page 2 BL For Details)

BAL5X32RLTB

6 7/16"

