





271 Yorkland Blvd.
Toronto, Ontario, M2J 1S5 Canada
Telephone: 1-800-665-3454 Facsimile: 1-800-461-4445

www.balmer.com

© Copyright 2004, Architectural Moldings Ltd. All rights reserved.

Under the copyright laws, this catalog may not be copied, in whole or in part, without the written consent of Architectural Moldings Ltd.

Balmer is a trademark owned by Architectural Moldings Ltd., registered in the United States, Canada, and other countries.

Other trademarks are the property of their respective owners.

Balmer Architectural Mouldings reserves the right to modify or discontinue any item without notice.

Accessories provided by Niche Décor, Unionville, Ontario, Canada.

CONTENTS

The Castle Series includes contemporary and classic designs inspired by the great castles of Scotland 2



The Versailles Series captures the essence of French design with detailed styling and magnificence 6



The Olympic Series reflects the history and classic elegance of the past with strong, solid designs 8



The Wellesley Mantel is a simple yet bold statement of modernism and innovation 10



The Milan Mantel is a combination of classic architecture and design inspired by old Italy 11



Material & Product Specifications 12

THE CASTLE SERIES IN GYPSUM CEMENT



Gypsum Overmantel:

An overmantel creates a stunning effect which adds both visual interest and height to any fireplace. Balmer Overmantels are available

for use with the Castle Series of mantels.

Pictured above is the Perth Gypsum Overmantel (4118) paired with the Aberdeen Mantel. See page 13 for product specifications.



Aberdeen



4112



Elgin



4114



Edinburgh



4116

THE CASTLE SERIES IN THINCAST STONE



ThinCast Overmantel:

Balmer Overmantels are available for use with the Castle Series of mantels. The Perth ThinCast Stone Overmantel (4119-TC) shown

above is a striking complement to the Elgin ThinCast Stone Mantel Kit. See page 13 for product specifications.



Aberdeen



4113-TC

The 4113-TCK (shown) includes a 4127-TC hearth kit.



Elgin



4115-TC

The 4115-TCK (shown) includes a 4127-TC hearth kit.



Edinburgh



4117-TC

The 4117-TCK (shown) includes a 4127-TC hearth kit.

THE VERSAILLE SERIES



Geneva in Gypsum



1942C complete, one piece mantel



Louis XV in Gypsum



4101



Louis XV in ThinCast



4101-TC

The 4101-TCK (shown) includes a 4127-TC hearth kit.



Strasbourg in Gypsum




1911C complete, one piece mantel

1911 VARIABLE SIZE GYPSUM CEMENT MANTEL

The Bourges 1911 four piece kit can be adjusted to fit any size fireplace opening up to 60 by 49 inches using a standard hand saw. Trim for width by removing equal amounts from the left and

right mantel halves at the top center. Trim for height at the bottom of the left and right mantel halves where they fit into the mantel bases. The bases add 6 1/4" (16 cm) to the mantel height.



CENTER PANELS FOR USE WITH THE 1911 KIT



1911A



1911E



1911F

26 × 13 1/2 × 7 3/4 in 66 × 34 × 20 cm

THE OLYMPIC SERIES IN GYPSUM CEMENT



St. Moritz



4120



Cortina



4122



Innsbruck



4124

THE OLYMPIC SERIES IN THINCAST STONE



St. Moritz



4121-TC The 4121-TCK (shown)
includes a 4126-TC hearth kit.



Cortina



4123-TC The 4123-TCK (shown)
includes a 4126-TC hearth kit.



Innsbruck



4125-TC The 4125-TCK (shown)
includes a 4126-TC hearth kit.

THE WELLESLEY MANTEL



Wellesley in Gypsum



4110




Wellesley in ThinCast



4111-TC

The 4111-TCK (shown) includes a 4126-TC hearth kit.

BALMER THINCAST SURROUND & HEARTH KITS



Balmer ThinCast surround inserts and hearths add the finishing touch to any fireplace in minutes. Used alone or with a Balmer mantel, they add warmth and elegance to any setting.

Balmer ThinCast mantels are available alone or as a full kit which includes three surround panels and a hearth. Please specify **TCK** after the product code when ordering any full thin cast mantel complete with a surround and hearth kit. ThinCast surround and hearth kits are available separately in two sizes. The kits include two leg panels, a header panel and either a small or a large hearth.

	A	B	C	D	E	F	G	H
4126-TC	68" 173 cm	20" 51 cm	1-1/4" 3 cm	56" 142 cm	14" 36 cm	38" 97 cm	10" 25 cm	7/8" 2 cm
4127-TC	74" 188 cm	20" 51 cm	1-1/4" 3 cm	56" 142 cm	14" 36 cm	38" 97 cm	10" 25 cm	7/8" 2 cm

THE MILAN MANTEL IN POLYURETHANE



1914-PLK four piece polyurethane mantel kit

Balmer's Milan polyurethane mantel is strictly controlled for quality and density during manufacture. As a result, it provides exceptional definition of detail and dimensional stability superior to that of wood.

The polyurethane system developed exclusively for Balmer has been tested and classified by Underwriters Laboratories Inc. (UL). It provides a flame spread rating of less than 75 (a Class II rating) when tested in accordance with ASTM-E84. In addition, the Balmer polyurethane system is the first to be classified for interior building construction under NFPA 286.

The Milan mantel is treated with a high quality white lacquer primer. It readily accepts any latex or oil based finish.



Balmer® Mantel Materials

Balmer fireplace mantels, surrounds, hearths and overmantels are produced using an open pour casting process in flexible silicone moulds. Moulds are produced from original patterns with defined enrichments sculpted by Balmer artists in clay.

This process provides an end product which replicates the original pattern without any loss of its deep, sculpted details. Balmer mantels, surrounds, hearths and overmantels are intended for decorative interior non-structural use.

Gypsum Cement

Balmer gypsum cement mantels and overmantels are glass fibre and burlap reinforced to provide durability during shipment and installation. Gypsum cement mantels and overmantels have a natural white finish. All gypsum cement mantels which are supplied in components are shipped unprimed to facilitate on site assembly. One piece gypsum cement mantels and overmantels are primed (white).

ThinCast Stone (TC)

ThinCast stone mantels, surrounds, hearths and overmantels use a gypsum/limestone composite material to replicate the warm color and rugged texture of real stone. They are lighter than traditional cast stone and are glass fibre reinforced for strength and durability. Balmer products are designed to facilitate handling and installation. All ThinCast mantels are factory treated with a clear finish sealer.

Balmer gypsum cement and ThinCast stone mantels, surrounds, hearths and overmantels are made with materials that meet the requirements for non-combustibility in accordance with ASTM-E136. They are ideally suited to interior architectural applications which demand a zero flame spread rating and an exceptional quality installed finish. They provide the greatest possible dimensional stability. Unlike wood mantels, Balmer gypsum cement and ThinCast stone mantels, surrounds, hearths and overmantels will never shrink or swell.

Polyurethane

Balmer polyurethane mantels are strictly controlled for quality and density during manufacture. As a result, each provides exceptional definition of detail and dimensional stability superior to that of wood.

The polyurethane system developed exclusively for Balmer has been tested and classified by Underwriters Laboratories Inc. (UL). Balmer polyurethane mantels provide a (Class II) flame spread rating of less than 75 when tested in accordance with ASTM-E84. In addition, Balmer polyurethane mantels are the first to be classified for interior building construction under NFPA 286.

All Balmer polyurethane mantels are treated with a high quality white lacquer primer. They readily accept any latex or oil based finish.



Gypsum Cement



ThinCast Stone (TC)



Polyurethane

MANTEL & OVERMANTEL SPECIFICATIONS

Balmer® Mantel Name and Product Number	Polyurethane	Gypsum	ThinCast	Surround Filler Panels and Hearth Available	Overmantel Available	Width	Height	Projection	Maximum Opening	No. of Pieces	Minimum Hearth Width
Bourges 1911	•					88" 224 cm	65-¼" 166 cm	8" 20 cm	60" w × 49" h 152 cm × 124 cm	5	—
Strasbourg 1911C	•					70-¼" 178 cm	46-½" 118 cm	8" 20 cm	43" w × 30" h 109 cm × 76 cm	1	72" 183 cm
Milan 1914-PLK	•					70-⅝" 173 cm	52-½" 133 cm	6-⅞" 8 cm	54" w × 45" h 137 cm × 114 cm	4	66" 174 cm
Geneva 1942C	•					68" 173 cm	42-⅛" 107 cm	12-¼" 31 cm	43" w × 30" h 109 cm × 76 cm	1	64" 183 cm
Louis XV 4101	•					77" 196 cm	57" 145 cm	10-¼" 26 cm	54" w × 45" h 137 cm × 114 cm	3	72" 183 cm
Louis XV 4101-TC		•	•			77" 196 cm	57" 145 cm	10-¼" 26 cm	54" w × 45" h 137 cm × 114 cm	3	72" 183 cm
Aberdeen 4112	•			•		80" 203 cm	58" 147 cm	10" 25 cm	52" w × 40" h 132 cm × 102 cm	3	72" 183 cm
Aberdeen 4113-TC		•	•	•		80" 203 cm	58" 147 cm	10" 25 cm	52" w × 40" h 132 cm × 102 cm	3	72" 183 cm
Elgin 4114	•			•		80" 203 cm	58" 147 cm	10" 25 cm	52" w × 40" h 132 cm × 102 cm	3	72" 183 cm
Elgin 4115-TC		•	•	•		80" 203 cm	58" 147 cm	10" 25 cm	52" w × 40" h 132 cm × 102 cm	3	72" 183 cm
Edinburgh 4116	•			•		80" 203 cm	58" 147 cm	10" 25 cm	52" w × 40" h 132 cm × 102 cm	3	72" 183 cm
Edinburgh 4117-TC		•	•	•		80" 203 cm	58" 147 cm	10" 25 cm	52" w × 40" h 132 cm × 102 cm	3	72" 183 cm
Perth Overmantel 4118 & 4119-TC	•	•				68" 173 cm	46" 117 cm	6" 15 cm	—	1	—
Wellesley 4110	•					76-¼" 194 cm	56" 142 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	4	66" 168 cm
Wellesley 4111-TC		•	•			76-¼" 194 cm	56" 142 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	4	66" 168 cm
St. Moritz 4120	•					76-¼" 194 cm	62" 157 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	5	66" 168 cm
St. Moritz 4121-TC		•	•			76-¼" 194 cm	62" 157 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	5	66" 168 cm
Cortina 4122	•					76-¼" 194 cm	62" 157 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	5	66" 168 cm
Cortina 4123-TC		•	•			76-¼" 194 cm	62" 157 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	5	66" 168 cm
Innsbruck 4124	•					76-¼" 194 cm	62" 157 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	5	66" 168 cm
Innsbruck 4125-TC		•	•			76-¼" 194 cm	62" 157 cm	8" 20 cm	50" w × 42" h 127 cm × 107 cm	5	66" 168 cm

Refer to Page 10 for ThinCast Surround & Hearth Kit dimensions.

